

Themenbezogenes Literaturverzeichnis zum SPP 2476

- Akhyar, H.; Iswanto, P. T.; Malau, V. (2018): Non Treatment, T4 and T6 on Tensile Strength of Al-5.9Cu-1.9Mg Alloy Investigated by Variation of Casting Temperature. In: *MSF* 929, S. 56–62. DOI: 10.4028/www.scientific.net/MSF.929.56.
- Amiri, N.; Farrahi, G. H.; Kashyzadeh, K. R.; Chizari, M. (2020): Applications of ultrasonic testing and machine learning methods to predict the static & fatigue behavior of spot-welded joints. In: *Journal of Manufacturing Processes* 52, S. 26–34. DOI: 10.1016/j.jmapro.2020.01.047.
- Ankener, W.; Böttger, D.; Smaga, M.; Gabi, Y.; Strass, B.; Wolter, B.; Beck, T. (2022a): Micromagnetic and Microstructural Characterization of Ferromagnetic Steels in Different Heat Treatment Conditions. In: *Sensors* 22 (12), 4428. DOI: 10.3390/s22124428.
- Ankener, W.; Smaga, M.; Uebel, J.; Seewig, J.; Grossmann, F.; Basten, S. et al. (2022b): Depth-resolved characterization of cryogenic hard turned surface layer of AISI 52100 by X-ray diffraction and scanning electron microscopy investigations. In: *Procedia CIRP* 108, S. 66–71. DOI: 10.1016/j.procir.2022.03.015.
- Bauer A. M. (2020): CAD-Integrated isogeometric analysis and design of lightweight structures. Dissertation. Technische Universität München.
- Beckers, A.; Hommen, T.; Becker, M.; Kornely, M. J. K.; Reuter, E.; Grünert, G. et al. (2022): Digitalized manufacturing process sequences – foundations and analysis of the economic and ecological potential. In: *CIRP Journal of Manufacturing Science and Technology* 39, S. 387–400. DOI: 10.1016/j.cirpj.2022.09.001.**
- Beckers, A.; Stauder, L.; Grünebaum, T.; Barth, S.; Bergs, T. (2021): Design of economically-optimized manufacturing process sequences using cross-process models. In: *CIRP Journal of Manufacturing Science and Technology* 33, S. 15–29. DOI: 10.1016/j.cirpj.2021.02.008.**
- Benning, M.; Burger, M. (2018): Modern Regularization Methods for Inverse Problems. In: *Acta Numerica*. 2018;27:1-111. DOI:10.1017/S0962492918000016.
- Borchers, F.; Clausen, B.; Ehle, L. C.; Eich, M.; Epp, J.; Frerichs, F. et al. (2021): The Influence of Former Process Steps on Changes in Hardness, Lattice and Micro Structure of AISI 4140 Due to Manufacturing Processes. In: *Metals* 11 (7), 1102. DOI: 10.3390/met11071102.
- Brinksmeier, E.; Sölter, J. (2009): Prediction of shape deviations in machining. In: *CIRP Annals* 58 (1), S. 507–510. DOI: 10.1016/j.cirp.2009.03.123.
- Chabot, A.; Laroche, N.; Carcreff, E.; Rauch, M.; Hascoët, J.-Y. (2020): Towards defect monitoring for metallic additive manufacturing components using phased array ultrasonic testing. In: *J Intell Manuf* 31, S. 1191–1201. DOI: 10.1007/s10845-019-01505-9.
- Clausen, B.; Frerichs, F.; Kohlhoff, T.; Lübben, Th.; Prinz, C.; Rentsch, R. et al. (2009): Identification of process parameters affecting distortion of disks for gear manufacture Part I: casting, forming and machining. In: *Materialwissenschaft Werkst* 40 (5-6), S. 354–360. DOI: 10.1002/mawe.200900459.
- Denisov, A. A.; Shakarji, C. M.; Lawford, B. B.; Maev, R. Gr.; Paille, J. M. (2004): Spot Weld Analysis With 2D Ultrasonic Arrays. In: *Journal of research of the National Institute of Standards and Technology* 109 (2), S. 233–244. DOI: 10.6028/jres.109.015.
- Denkena, B.; Breidenstein, B.; Dittrich, M.-A.; Wichmann, M.; Nguyen, H. N.; Fricke, L. V. et al. (2022): Setting of deformation-induced martensite content in cryogenic external longitudinal turning. In: *Procedia CIRP* 108, S. 170–175. DOI: 10.1016/j.procir.2022.03.030.
- Engquist, B. (Hg.) (2015): *Encyclopedia of Applied and Computational Mathematics*. Berlin, Heidelberg: Springer.
- Eschner, N.; Weiser, L.; Häfner, B.; Lanza, G. (2020): Classification of specimen density in Laser Powder Bed Fusion (L-PBF) using in-process structure-borne acoustic process emissions. In: *Additive Manufacturing* 34, 101324. DOI: 10.1016/j.addma.2020.101324.
- Fratz, M.; Beckmann, T.; Anders, J.; Bertz, A.; Bayer, M.; Gießler, T. et al. (2019): Inline application of digital holography Invited. In: *Applied optics* 58, G120-G126. DOI: 10.1364/AO.58.00G120.
- Frerichs, F.; Lübben, T. (2020): Influence of Initial Microstructure on Manufacturing Processes with Thermal Loads accompanied by Hardening. In: *Procedia CIRP* 87, S. 521–526. DOI: 10.1016/j.procir.2020.02.075.
- Fricke, L. V.; Thüerer, S. E.; Kahra, C.; Bährisch, S.; Herbst, S.; Nürnberger, F. et al. (2023): Non-destructive Evaluation of Workpiece Properties along the Hybrid Bearing Bushing Process Chain. In: *J. of Materi Eng and Perform* 32, S. 7004–7015. DOI: 10.1007/s11665-022-07598-3.
- Gansel, R.; Zimmermann, C.; Fricke, L. V.; Lüdtke, M.; Klümper-Westkamp, H.; Fechte-Heinen, R. et al. (2021): Characterization of Graded Subsurface Zones in Industrial Case-Hardening Using a Non-Destructive Testing System. In: *HTM Journal of Heat Treatment and Materials* 76 (3), S. 237–245. DOI: 10.1515/htm-2021-0006.
- Garmendia, I.; Leunda, J.; Pujana, J.; Lamikiz, A. (2018): In-process height control during laser metal deposition based on structured light 3D scanning. In: *Procedia CIRP* 68, S. 375–380. DOI: 10.1016/j.procir.2017.12.098.
- Gierden, C.; Kochmann, J.; Waimann, J.; Kinner-Becker, T.; Sölter, J.; Svendsen, B.; Reese, S. (2021): Efficient two-scale FE-FFT-based mechanical process simulation of elasto-viscoplastic polycrystals at finite strains. In: *Computer Methods in Applied Mechanics and Engineering* 374 (1), 113566. DOI: 10.1016/j.cma.2020.113566.
- Gösling, M. J. (2010): *Metamodell unterstützte Simulation und Kompensation von Rückfederungen in der Blechumformung*. Dissertation. Technischen Universität Dortmund.

Groche, T.; Seewig, J.; Follmann, V.; Uebel, J. (2023): Sparse surface profile reconstruction from scattering light distributions. In: P. Lehmann, W. Osten und A. Albertazzi Gonçalves (Hg.): **Optical Measurement Systems for Industrial Inspection XIII. Optical Measurement Systems for Industrial Inspection XIII**. Munich, Germany, 26.06.2023 - 30.06.2023: SPIE, S. 31. Online verfügbar unter <https://www.spiedigitallibrary.org/conference-proceedings-of-spie/12618/2673175/Sparse-surface-profile-reconstruction-from-scattering-light-distributions/10.1117/12.2673175.full>.

Groenewold, J.; Stamer, F.; Lanza, G. (2023): Concept for In-process Measurement of Residual Stress in AM Processes by Analysis of Structure-Borne Sound. In: M. Liewald, A. Verl, T. Bauernhansl und H.-C. Möhring (Hg.): **Production at the Leading Edge of Technology**. Cham: Springer International Publishing (Lecture Notes in Production Engineering), S. 24–31.

Grossmann, F.; Basten, S.; Kirsch, B.; Ankener, W.; Smaga, M.; Beck, T. et al. (2022): Predictive modelling of cryogenic hard turning of AISI 52100 based on response surface methodology for the use in soft sensors. In: *Procedia CIRP* 108, S. 270–275. DOI: 10.1016/j.procir.2022.04.070.

Grünebaum, T. (2022): Methodik zur Gestaltung von Technologieketten und Prozessfolgen nach lebensphasenübergreifend ökologisch-ökonomischen Kriterien. Methodology for the design of technology chains and manufacturing process sequences according to life-cycle-phase-overreaching ecological-economic criteria. Dissertation. RWTH Aachen.

Habraken, A. M.; Aksen, T. A.; Alves, J. L.; Amaral, R. L.; Betaieb, E.; Chandola, N. et al. (2022): Analysis of ESAFORM 2021 cup drawing benchmark of an Al alloy, critical factors for accuracy and efficiency of FE simulations. In: *Int J Mater Form* 15 (5), S. 61. DOI: 10.1007/s12289-022-01672-w.

Hadamard, J. (1902): Sur les problèmes aux dérivées partielles et leur signification physique. In: *Princeton university Bulletin* XIII (4).

Hahn, I.; Schneider, M.; Schafstall, H.; Barth, C. (2014): Quality prediction through combined simulation of ingot casting and forging.

Hartmann, C. (2020): Spatio-temporal optical flow methods for process analysis. Dissertation. Technische Universität München.

Hartmann, C.; Maier, L.; Volk, W. (2021): Springback and compensation in sheet metal forming reconsidered as an ill-posed problem. In: IOP Conf. Ser.: Mater. Sci. Eng. 1157 (1), 012044. DOI: 10.1088/1757-899X/1157/1/012044.

Heller, M.; Stöcker, A.; Kawalla, R.; Leuning, N.; Hameyer, K.; Wei, X. et al. (2022): Characterization Methods along the Process Chain of Electrical Steel Sheet—From Best Practices to Advanced Characterization. In: *Materials* 15, 32. DOI: 10.3390/ma15010032.

Hirsch, J.; Al-Samman, T. (2013): Superior light metals by texture engineering: Optimized aluminum and magnesium alloys for automotive applications. In: *Acta Materialia* 61 (3), S. 818–843. DOI: 10.1016/j.actamat.2012.10.044.

Hofbauer, F. M. (2020): Großserientaugliche Umsetzung von dünnwandigem Stahlguss für den Automobilbau. Dissertation. Technische Universität München.

Honarvar, F.; Varvani-Farahani, A. (2020): A review of ultrasonic testing applications in additive manufacturing: Defect evaluation, material characterization, and process control. In: *Ultrasonics* 108, 106227. DOI: 10.1016/j.ultras.2020.106227.

Hoyer, J.; Kammerloher, S.; Holzer, K.; Volk, W.; Liu, Z.; Ringel, A.; Hirt, G. (2022): Flat rolling of continuously cast Al-Cu compound strips with structured interface. In: 36. Aachener Stahlkolloquium Umformtechnik (Verbundwerkstoffe und Werkstoffverbunde).

Iadicola, M. A. (2020): Data for Numisheet 2020 uniaxial tensile and tension/compression tests. National Institute of Standards and Technology, zuletzt geprüft am 31.08.2023.

Illgen, C.; Frint, P.; Gruber, M.; Volk, W.; Wagner, M. FX. (2020): Evolution of Grain Refinement in AA5083 Sheet Metal Processed by ECAP. In: A. Tomsett (Hg.): **Light Metals 2020**: Springer, Cham (The Minerals, Metals & Materials Series), S. 362–369.

Glossar SFB/TRR 136. Online verfügbar unter <https://www.prozesssignaturen.de/ueber-uns/glossar/i/inverses-problem-der-fertigungstechnik>, zuletzt geprüft am 22.09.2023.

Irfan, M. A.; Schwam, D.; Karve, A.; Ryder, R. (2012): Porosity reduction and mechanical properties improvement in die cast engine blocks. In: *Materials Science and Engineering: A* 535, S. 108–114. DOI: 10.1016/j.msea.2011.12.049.

Janßen, C.; Brimmers, J.; Bergs, T. (2021): Validation of the plane-based penetration calculation for gear skiving. In: *Procedia CIRP* 99, S. 220–225. DOI: 10.1016/j.procir.2021.03.034.

Jhang, K.-Y. (2009): Nonlinear ultrasonic techniques for nondestructive assessment of micro damage in material: A review. In: *Int. J. Precis. Eng. Manuf.* 10 (1), S. 123–135. DOI: 10.1007/s12541-009-0019-y.

Jiang, Y.; Yin, S.; Dong, J.; Kaynak, O. (2021): A Review on Soft Sensors for Monitoring, Control, and Optimization of Industrial Processes. In: *IEEE Sensors J.* 21 (11), S. 12868–12881. DOI: 10.1109/JSEN.2020.3033153.

Kadlec, P.; Gabrys, B.; Strandt, S. (2009): Data-driven Soft Sensors in the process industry. In: *Computers & Chemical Engineering* 33 (4), S. 795–814. DOI: 10.1016/j.compchemeng.2008.12.012.

Karpuschewski, B.; Lübben, Th.; Meinke, M.; Eckert, S.; Frerichs, F.; Schneider, S. et al. (2021): Comparison of Process Signatures for thermally dominated processes. In: *CIRP Journal of Manufacturing Science and Technology* 35 (10), S. 217–235. DOI: 10.1016/j.cirpj.2021.06.013.

Kirchner, E. (2020): *Werkzeuge und Methoden der Produktentwicklung*. Berlin, Heidelberg: Springer.

Kochmann, J.; Ehle, L.; Wulfinghoff, S.; Mayer, J.; Svendsen, B.; Reese, S. (2018): Efficient Multiscale FE-FFT-Based Modeling and Simulation of Macroscopic Deformation Processes with Non-linear Heterogeneous Microstructures. In: J. Sorić, P. Wriggers und O. Allix (Hg.): *Multiscale Modeling of Heterogeneous Structures*, Bd. 86. Cham: Springer International Publishing (Lecture Notes in Applied and Computational Mechanics), S. 129–146.

Kusche, C.; Reclik, T.; Freund, M.; Al-Samman, T.; Kerzel, U.; Korte-Kerzel, S. (2019): Large-area, high-resolution characterisation and classification of damage mechanisms in dual-phase steel using deep learning. In: *PLoS one* 14 (5), e0216493. DOI: 10.1371/journal.pone.0216493.

Lahmer, T.; Bock, S.; Hildebrand, J.; Gürlebeck, K. (2014): Identification of Residual Stresses in Steel under Uncertain Model Components. In: *12th International Probabilistic Workshop*.

Lahmer, T.; Bock, S.; Hildebrand, J.; Gürlebeck, K. (2017): Non-destructive identification of residual stresses in steel under thermal loadings. In: *Inverse Problems in Science and Engineering* 25 (10), S. 1519–1535. DOI: 10.1080/17415977.2016.1273917.

Landwehr, M.; Schmid, S.; Holla, V.; Ganser, P.; Bergs, T.; Ruess, M.; Schröder, K.-U. (2021): The finite cell method for the prediction of machining distortion caused by initial residual stresses in milling. In: *Procedia CIRP* 102 (5), S. 144–149. DOI: 10.1016/j.procir.2021.09.025.

Lechner, P.; Hartmann, C.; Wolf, D.; Habiba, A. (2023): Deviation compensation in LPBF series production via statistical predeformation and structural pattern analysis. In: *J Intell Manuf*. DOI: 10.1007/s10845-023-02166-5.

Liu, L.; Sun, J.; Chen, W.; Sun, P. (2017): Study on the machining distortion of aluminum alloy parts induced by forging residual stresses. In: *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture* 231 (4), S. 618–627. DOI: 10.1177/0954405415583805.

Lovejoy, D. (1993): *Magnetic Particle Inspection*. Dordrecht: Springer Netherlands.

Maier, L.; Hartmann, C.; Volk, W. (2021): Parameterized data handling for forming tool tryout: reverse engineering, data consolidation and springback compensation. In: *IOP Conf. Ser.: Mater. Sci. Eng.* 1157 (1), 012035. DOI: 10.1088/1757-899X/1157/1/012035.

Marzban, S.; Lahmer, T. (2016): Conceptual implementation of the variance-based sensitivity analysis for the calculation of the first-order effects. In: *Journal of Statistical Theory and Practice* 10 (4), S. 589–611. DOI: 10.1080/15598608.2016.1207578.

Mießén, C.; Liesenjohann, M.; Barrales-Mora, L. A.; Shvindlerman, L. S.; Gottstein, G. (2015): An advanced level set approach to grain growth – Accounting for grain boundary anisotropy and finite triple junction mobility. In: *Acta Materialia* 99, S. 39–48. DOI: 10.1016/j.actamat.2015.07.040.

Moës, N.; Stolz, C.; Bernard, P.-E.; Chevaugeon, N. (2011): A level set based model for damage growth: The thick level set approach. In: *Int. J. Numer. Meth. Engng.* 86, S. 358–380. DOI: 10.1002/nme.3069.

Mose, C.; Weinert, N. (2015): Process chain evaluation for an overall optimization of energy efficiency in manufacturing—The welding case. In: *Robotics and Computer-Integrated Manufacturing* 34, S. 44–51. DOI: 10.1016/j.rcim.2014.12.011.

Müller, S. (2018): Material removal mechanisms during grinding of fiber reinforced ceramics with porous matrix. Zerpanmechanismen bei der Schleifbearbeitung von faserverstärkten Keramiken mit poröser Matrix. Dissertation. RWTH Aachen.

Neuhauser, F. M. (2020): *Potentials of Artificial Intelligence in Production*. Dissertation. ETH Zurich.

Ott, M.; Mayer, M.; Li, Y.; Steinlehner, F.; Zaeh, M. F.; Volk, W. (2023): Quantification of the Impact of Forming-Induced Residual Stresses on Subsequent Cutting Operations for Aluminum AA7075 Thick Sheets. In: K. Mocellin, P.-O. Bouchard, R. Bigot und T. Balan (Hg.): *Proceedings of the 14th International Conference on the Technology of Plasticity - Current Trends in the Technology of Plasticity. ICTP 2023. Lecture Notes in Mechanical Engineering: Springer, Cham*, S. 135–145. DOI: https://doi.org/10.1007/978-3-031-40920-2_15

Pätzold, I.; Stahl, J.; Golle, R.; Volk, W. (2023): Reducing the shear affected zone to improve the edge formability using a two-stage shear cutting simulation. In: *Journal of Materials Processing Technology* 313, 117872. DOI: 10.1016/j.jmatprotec.2023.117872.

Proell, S. D.; Wall, W. A.; Meier, C. (2021): A simple yet consistent constitutive law and mortar-based layer coupling schemes for thermomechanical macroscale simulations of metal additive manufacturing processes. In: *Adv. Model. and Simul. in Eng. Sci.* 8 (24). DOI: 10.1186/s40323-021-00209-1.

Rahives, M.; Seewig, J. (Hg.) (2009): *Optisches Messen technischer Oberflächen. Messprinzipien und Begriffe*. Deutsches Institut für Normung. 1. Auflage. Berlin, Wien, Zürich: Beuth Verlag GmbH (Beuth-Pocket Messwesen).

Ranganathan, J.; Corbier, L.; Schmitz, S.; Oren, K.; Dawson, B.; Spannagle, M. et al. (2004): *WBCSD/WRI, 2004. Greenhouse Gas Protocol: a Corporate Accounting and Reporting Standard*.

Rego, R.; Löpenhaus, C.; Gomes, J.; Klocke, F. (2018): Residual stress interaction on gear manufacturing. In: *Journal of Materials Processing Technology* 252, S. 249–258. DOI: 10.1016/j.jmatprotec.2017.09.017.

- Scandola, L.; Büdenbender, C.; Till, M.; Maier, D.; Ott, M.; Behrens, B.; Volk, W. (2021): Development of a numerical compensation framework for geometrical deviations in bulk metal forming exploiting a surrogate model and computed compatible stresses. In: *Int J Mater Form* 14, S. 901–916. DOI: 10.1007/s12289-020-01603-7.
- Scandola, L.; Maier, D.; Werner, M.; Hartmann, C.; Volk, W. (2022): Automatic Extraction and Conversion of the Bending Line from Parametric and Discrete Data for the Free-Form Bending Process.** In: K. Inal, J. Levesque, M. Worswick und C. Butcher (Hg.): **NUMISHEET 2022: Springer, Cham (The Minerals, Metals & Materials Series)**. DOI: https://doi.org/10.1007/978-3-031-06212-4_73.
- Schmidt, L.; Römer, F.; Böttger, D.; Leinenbach, F.; Straß, B.; Wolter, B. et al. (2020): Acoustic process monitoring in laser beam welding. In: *Procedia CIRP* 94, S. 763–768. DOI: 10.1016/j.procir.2020.09.139.
- Seehaus, M.; Lee, S.-H.; Stollenwerk, T.; Wheeler, J. M.; Korte-Kerzel, S. (2023): Estimation of directional single crystal elastic properties from nano-indentation by correlation with EBSD and first-principle calculations.** In: *Materials & Design* 234, 112296. DOI: 10.1016/j.matdes.2023.112296.
- Sethian, J. A.; Adalsteinsson, D. (1997): An overview of level set methods for etching, deposition, and lithography development. In: *IEEE Trans. Semicond. Manufact.* 10 (1), S. 167–184. DOI: 10.1109/66.554505.
- Sobol, I. M. (1993): Sensitivity Estimates for Nonlinear Mathematical Models. In: *Mathematical Modelling and Computational Experiments* 4, S. 407–414.
- Songmene, V.; Khettabi, R.; Zaghbani, I.; Kouam, J.; Djebara, A. (2011): Machining and machinability of aluminum alloys. In: T. Kvackaj (Hg.): *Aluminium Alloys: Theory and Applications: IntechOpen*, 377–400.
- Stebner, S. C.; Maier, D.; Ismail, A.; Balyan, S.; Dölz, M.; Lohmann, B. et al. (2021): A System Identification and Implementation of a Soft Sensor for Freeform Bending. In: *Materials* 14 (16), 4549. DOI: 10.3390/ma14164549.
- Stebner, S. C.; Maier, D.; Ismail, A.; Dölz, M.; Lohman, B.; Volk, W.; Münstermann, S. (2022): Extension of a Simulation Model of the Freeform Bending Process as Part of a Soft Sensor for a Property Control. In: *KEM* 926, S. 2137–2145. DOI: 10.4028/p-d17700.
- Stöcker, A.; Weiner, M.; Korpała, G.; Prahl, U.; Wei, X.; Lohmar, J. et al. (2021): Integrated Process Simulation of Non-Oriented Electrical Steel. In: *Materials (Basel, Switzerland)* 14 (21), 6659. DOI: 10.3390/ma14216659.
- Strohmeier, M.; Schröder, M.; Faber, C. (2019): Optical inline inspection detecting 3D defects on complex free-form surfaces in harsh production environments. In: *tm - Technisches Messen* 86 (6), S. 335–344. DOI: 10.1515/teme-2019-0013.
- Sullivan, T. J. (2015): *Introduction to Uncertainty Quantification*. Cham: Springer International Publishing (Texts in Applied Mathematics, 63).
- Tereschenko, S.; Lehmann, P.; Gollor, P.; Kuehnhold, P. (2015): Robust vertical scanning white-light interferometry in close-to-machine applications. In: P. Lehmann, W. Osten und A. Albertazzi Gonçalves (Hg.): *Optical Measurement Systems for Industrial Inspection IX*. SPIE Optical Metrology. Munich, Germany, Sunday 21 June 2015: SPIE (SPIE Proceedings), 95250Q.
- Torner, F.; Seewig, J.; Fahlbusch, T.; Beichert, G.; Böttner, T. (2014): Design of a Chromatic Fringe Projector for 3D Object Reconstruction.** In: W. Osten (Hg.): **Fringe 2013**. Berlin, Heidelberg: Springer Berlin Heidelberg, S. 241–245.
- Troß, N.; Brimmers, J.; Bergs, T. (2022): Approach for multiscale modeling the thermomechanical tool load in gear hobbing.** In: *Forsch Ingenieurwes* 86, S. 627–638. DOI: 10.1007/s10010-021-00531-5.
- Weisz-Patrault, D.; Ehrlicher, A.; Legrand, N. (2012): Evaluation of temperature field and heat flux by inverse analysis during steel strip rolling. In: *International Journal of Heat and Mass Transfer* 55 (4), S. 629–641. DOI: 10.1016/J.IJHEATMASSTRANSFER.2011.10.048.
- Wirtz, C. (2018): Zerspanverhalten von WC-Co Hartmetallen bei der Schleifbearbeitung. Dissertation.** RWTH Aachen.
- Wollenweber, M. A.; Medghalchi, S.; Guimarães, L. R.; Lohrey, N.; Kusche, C. F.; Kerzel, U. et al. (2023): On the damage behaviour in dual-phase DP800 steel deformed in single and combined strain paths.** In: *Materials & Design* 231, 112016. DOI: 10.1016/j.matdes.2023.112016.
- Wolter, B.; Gabi, Y.; Conrad, C. (2019): Nondestructive Testing with 3MA—An Overview of Principles and Applications. In: *Applied Sciences* 9 (6), 1068. DOI: 10.3390/app9061068.